according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision4.01Revision Date27-Jan-2023Supersedes Version4.00***Issuing date27-Jan-2023

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation

n-Nonanol

 Chemical Name
 Nonan-1-ol

 CAS-No
 143-08-8

 EC No.
 205-583-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Transported isolated intermediate (1907/2006)

Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

OQ Chemicals GmbH Rheinpromenade 4A D-40789 Monheim

Germany

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK)

available 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Serious eye damage/eye irritation Category 2, H319 Environmental hazard Aquatic Chronic 3; H412

Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.

2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).

Hazard pictograms

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01



Signal word Warning

Hazard statements H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists: Get medical advice/ attention. P501: Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

Vapour/air-mixtures are explosive at intense warming

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)

Endocrine disrupting

assessments

The substance is not listed on the candidate list according to Art. 59(1), REACh.

The substance was not assessed as having endocrine disrupting properties

according to regulation 2017/2100/EU or 2018/605/EU.

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	1272/2008/EC	Concentration (%)
Nonan-1-ol	143-08-8	Eye Irrit. 2; H319	> 93
		Aquatic Chronic 3; H412	

For full text of Hazard- and EU Hazard-statements see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

2 / 15 Great Britain (E-GB) /EN

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

cough, nausea, gastrointestinal discomfort, vomiting.

Special hazard

Lung irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. If ingested, irrigate the stomach using activated charcoal.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Vapours are heavier than air and may spread along floors

Vapour/air-mixtures are explosive at intense warming

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Water run-off can cause environmental damage. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant). Water runoff can cause environmental damage.

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

strong acids

strong oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material. Vapour/air-mixtures are explosive at intense warming.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

Temperature class

T3

7.3. Specific end use(s)

Transported isolated intermediate (1907/2006)

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits European Union

No exposure limits established

Exposure limits UK

No exposure limits established.

DNEL & PNEC

This substance is registered as intermediate under strictly controlled conditions.

Nonan-1-ol, CAS: 143-08-8

Workers

DN(M)EL - long-term exposure - systemic effects - Inhalation	176 mg/m ³

DN(M)EL - acute / short-term exposure - systemic effects - Inhalation No hazard identified

DN(M)EL - long-term exposure - local effects - Inhalation 118 ma/m³

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - local effects - eyes

No hazard identified 83,3 mg/kg bw/day No hazard identified 190 mg/kg b.w./day No hazard identified

Low hazard (no threshold

derived)

General population

DN(M)EL - long-term exposure - systemic effects - Inhalation

DN(M)EL - acute / short-term exposure - systemic effects - Inhalation

DN(M)EL - long-term exposure - local effects - Inhalation

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal

DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - long-term exposure - systemic effects - Oral

DN(M)EL - acute / short-term exposure - systemic effects - Oral

DN(M)EL - local effects - eyes

43.5 ma/m³

No hazard identified No hazard identified No hazard identified 41,7 mg/kg bw/day No hazard identified

67 µg/cm2

No hazard identified 12.5 mg/kg bw/day No hazard identified Low hazard (no threshold

derived)

Environment

PNEC aqua - freshwater PNEC agua - marine water

PNEC STP

0,04 mg/l 0,004 mg/l

No hazard identified

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol

11620 Version / Revision 4.01

PNEC sediment - freshwater

PNEC sediment - marine water

O,98 mg/kg dw

O,098 mg/kg dw

No hazard identified

PNEC soil

O,17 mg/kg dw

Secondary poisoning

No potential for bioaccumulation

8.2. Exposure controls

Special adaptations (REACh)

The substance has been registered as an transported isolated intermediate and must be handled throughout its life cycle under strictly controlled conditions in accordance with Article 18.4, REACH.

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Engineering and risk Management measures should maintain strictly controlled conditions. This also applies to environmental exposure controls.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe dust or mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber **Reference substance** 2-Ethylhexanol

Evaluation according to EN 374: level 6

Glove thickness approx 0,55 mm Break through time > 480 min

Suitable material polyvinylchloride / nitrile rubber

Reference substance 2-Ethylhexanol

Evaluation according to EN 374: level 6

Glove thickness approx 0,9 mm Break through time > 480 min

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with A filter. Full mask with above mentioned filter according to producers using requirements or

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol

11620 Version / Revision 4.01

self-contained breathing apparatus. Equipment should conform to EN 136 or EN 140 and EN 143.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

Additional advice

Further details on substance data can be found in the registration dossier under the following link: http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid colourless Odour alcoholic

Odour threshold No data available

Melting point/freezing point -3 °C (Pour point) @ 1013 hPa

Method ASTM D 97-08-8 Boiling point or initial boiling 212 °C @ 1013 hPa

point and boiling range

Method ASTM E 537

Flammability Even if not classified as flammable, the product is capable of catching fire or

being set on fire.***

Lower explosion limitNo data availableUpper explosion limitNo data availableFlash point98,75 °C @ 1023 hPa

Method ASTM D-93

Autoignition temperature 280 °C @ 1013 hPa

MethodASTM E 659Decomposition temperatureNo data availablepHNo data availableKinematic Viscosity12,97 mm²/s @ 20 °C

Method ASTM D445

Solubility 69,54 mg/l @ 20 °C, in water, OECD 105

Partition coefficient 4,1 (measured) OECD 117

n-octanol/water (log value)

Vapour pressure

@ °C Values [hPa] Values [kPa] Values [atm] @ °F Method 0.017 0.0017 < 0.001 20 NFT 20-048 68 < 0.001 NFT 20-048 0.345 0.0345 50 122

Density and/or relative density

 Values
 @ °C
 @ °F
 Method

 0,828
 20
 68
 ASTM D 4052

Relative vapour density
Particle characteristics
No data available
not applicable

9.2. Other information

Explosive propertiesDoes not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

7 / 15 Great Britain (E-GB) /EN

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol

11620 Version / Revision 4.01

associated with oxidizing properties

Molecular weight144,26Molecular formulaC9 H20 Olog Koc2,32 OECD 121

Dissociation constant pKa 15,76 @ 25 °C (77 °F)

Refractive index 1.4338 @ 20 °C

Surface tension 17,8 mN/m @ 22,5 °C (72,5 °F) @ 102,4 mg/l

Evaporation rate No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Vapour/air-mixtures are explosive at intense warming. Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

strong acids, strong oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity				
Nonan-1-ol (143-08-8)				
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	> 5000 mg/kg	rat female	OPPTS 870.1100 read across
Dermal	LD50	> 5000 mg/kg	rat, male/female	OPPTS 870.1200 read across
Inhalative	LC50	> 71 mg/l (1 h)	rat, male/female	read across (mist)

Nonan-1-ol, CAS: 143-08-8

Assessment

Based on available data, the classification criteria are not met for:

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

Acute oral toxicity Acute dermal toxicity Acute inhalation toxicity STOT SE

Irritation and corrosion	1			
Nonan-1-ol (143-08-8)				
Target Organ Effects	Species	Result	Method	
Skin	rabbit	Mild skin irritation	OECD 404	
Eyes	rabbit	Moderate eye	EPA OPPTS	read across
		irritation	870.2400	

Nonan-1-ol, CAS: 143-08-8

Assessment

The available data lead to the classification given in section 2 Based on available data, the classification criteria are not met for: skin irritation/corrosion

For respiratory irritation, no data are available

Sensitization				
Nonan-1-ol (143-08-8)				
Target Organ Effects	Species	Evaluation	Method	
Skin	guinea pig male/female	not sensitizing	Draize Test	read across

Nonan-1-ol, CAS: 143-08-8

Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic	and prolonged toxic	city		
Nonan-1-ol (143-08-8)				
Туре	Dose	Species	Method	
Subchronic toxicity	NOAEL: 2000 mg/kg/d	rat, male/female	OECD 422 Oral	read across
Subchronic toxicity	NOAEL: 1127 mg/kg/d (90d)	rat, male	Oral	read across
Subchronic toxicity	NOAEL: 1243 mg/kg/d (90d)	rat, female	Oral	read across

Nonan-1-ol, CAS: 143-08-8

Assessment

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Mutagenicity, Reproductive toxicity						
Nonan-1-ol (143-0	08-8)					
Туре	Dose	Species	Evaluation	Method		
Mutagenicity		mouse lymphoma cells	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study read across	
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	In vitro study read across	

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

Mutagenicity		mouse male/female	negative		in vivo read across
1 '		rat, parental, male		Oral	read across
	l	rat, parental, female		Oral	read across
	mg/kg/d	Rat, prenatal, female rat, 1. Generation, male/female		OECD 422, Oral	read across
Developmental Toxicity	NOAEL 1300 mg/kg/d	rat			Teratogenicity read across
Developmental Toxicity	NOAEC: 0,15 mg/l	rat, female		Inhalation	Maternal toxicity Teratogenicity
Reproductive toxicity Developmental Toxicity	NOAEL 130 mg/kg/d	rat			Maternal toxicity read across

Nonan-1-ol, CAS: 143-08-8

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

In vitro tests did not show mutagenic effects

Nonan-1-ol, CAS: 143-08-8

Main symptoms

cough, nausea, gastrointestinal discomfort, vomiting.

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Aspiration toxicity

no data available

11.2. Information on other hazards

Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3. **Note**

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity				
Nonan-1-ol (143-08-8)				
Species	Exposure time	Dose	Method	
Pimephales promelas (fathead minnow)	96h	LC50: 5,7 mg/l	OECD 203	

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

Nitocra spinipes	96h	LC50: 25 mg/l	OECD 202
Algae	72h	EC50: 5,1 mg/l (Growth	QSAR
		rate)	
Pseudomonas putida	16 h	EC3: > 50 mg/l	ISO 10712

Long term toxicity				
Nonan-1-ol (143-08-8)				
Туре	Species	Dose	Method	
Reproductive toxicity	Daphnia magna (Water flea)	NOEC: 0,4 - 0,7 mg/l (21d)	QSAR	
Aquatic toxicity	Algae	EC10: 2,1 mg/l (72 h)	QSAR	
Aquatic toxicity	Pimephales promelas (fathead minnow)	NOEC: 0,26 mg/l (33d)		

Sediment toxicity				
Nonan-1-ol (143-08-8)				
Species	Exposure time	Dose	Туре	Method
Heterocypris incongruens	6 d	EC50: 150 mg/kg sediment dw	Reproduction and survival	EPA OPPTS 850.1735 read across

Terrestrial toxicity				
Nonan-1-ol (143-08-8)				
Species	Exposure time	Dose	Туре	Method
Anas platyrhynchos (mallard duck)	14 d	LD50: >4640 mg/kg bw	Mortality	read across
Gallus domesticus (chicken)	21 d	NOEC: 200000 ppm	Mortality	OECD 223 read across

12.2. Persistence and degradability

Nonan-1-ol, CAS: 143-08-8

Biodegradation

92 % (28 d), activated sludge (domestic), aerobic, OECD 310, read across, Weight of evidence.

Abiotic Degradation		
Nonan-1-ol (143-08-8)		
Туре	Result	Method
Hydrolysis	not expected	
Photolysis	Half-life (DT50): 27,6 h	calculated

12.3. Bioaccumulative potential

Nonan-1-ol (143-08-8)		
Туре	Result	Method
log Pow	4,1 @ 25 °C (77 °F)	measured, OECD 117
BCF	15 l/kg	

12.4. Mobility in soil

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

Nonan-1-ol (143-08-8)		
Туре	Result	Method
Surface tension	17,8 mN/m @ 22,5 °C (72,5 °F) @ 102,4 mg/l	
Adsorption/Desorption	Koc: 211	OECD 121
Distribution to environmental compartments	no data available	

12.5. Results of PBT and vPvB assessment

Nonan-1-ol, CAS: 143-08-8 PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

12.7. Other adverse effects

Nonan-1-ol, CAS: 143-08-8

No data available

Note

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SECTION 14: Transport information

Section 14.1 - 14.6

ADR/RID Not restricted

ADN Container
Not restricted

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol

11620 Version / Revision 4.01

ICAO-TI / IATA-DGR Not restricted

IMDG Not restricted

14.7. Maritime transport in bulk according

to IMO instruments

Product name Nonyl alcohol

Ship type 2
Pollution category Y
Hazard class S/P

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI

not listed

DI 2012/18/EU (Seveso III)

Category not subject

DI 1999/13/EC (VOC Guideline)

Component	Status
Nonan-1-ol	regulated
CAS: 143-08-8	

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758

Component	Status
Nonan-1-ol	The substance will not be pre-registered
CAS: 143-08-8	, , , ,

For details and further information please refer to the original regulation.

International Inventories

Nonan-1-ol, CAS: 143-08-8

AICS (AU)

DSL (CA)

IECSC (CN)

EC-No. 2055837 (EU)

ENCS (2)-217 (JP)

ISHL (2)-217 (JP)

KECI KE-26184 (KR)

INSQ (MX)

PICCS (PH)

TSCA (US)

NZIoC (NZ)

TCSI (TW)

National regulatory information Great Britain

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01

Releases to air (Pollution Inventory Substances)

not subject

Releases to water (Pollution Inventory Substances)

not subject

Releases to sewer (Pollution Inventory Substances)

not subject

For details and further information please refer to the original regulation

15.2. Chemical safety assessment

The Chemical Safety Report (CSR) is not required.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Abbreviations

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Observe national and local legal requirements. Changes against the previous version are marked by ***. The annex is not required because the substance is registered as an intermediate under REACh

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Nonanol 11620

Version / Revision

4.01