

Isobutyric acid

10290

Version / Revision4.01Revision Date12-Jan-2022Supersedes Version4.00\*\*\*Issuing date12-Jan-2022

# SECTION 1: Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product identifier

Identification of the substance/preparation Isobutyric acid

**CAS-No** 79-31-2 **EC No.** 201-195-7

Registration number (REACh) 01-2119488973-18

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Intermediate under non-strictly controlled conditions

Distribution of substance

Uses advised against None

## 1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

**OQ Chemicals GmbH** Rheinpromenade 4A D-40789 Monheim

Germany

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

#### 1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 671 (UK) available 24/7

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Flammable liquid Category 3, H226 Acute oral toxicity Category 4, H302 Acute dermal toxicity Category 3, H311 Skin corrosion/irritation Category 1B, H314

Serious eye damage/eye irritation Category 1, H318

#### **Additional information**

For full text of Hazard- and EU Hazard-statements see SECTION 16.

#### 2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).



10290 Isobutyric acid Revision Date Version / Revision 12-Jan-2022 4.01

#### **Hazard pictograms**



Signal word Danger

**Hazard statements** H226: Flammable liquid and vapour.

H302: Harmful if swallowed. H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

**Precautionary statements** P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water or shower.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

Vapours may form explosive mixture with air

Components of the product may be absorbed into the body by inhalation, ingestion and through the skin

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)

# SECTION 3: Composition / information on ingredients

## 3.1. Substances

Component	CAS-No	REACh-No	1272/2008/EC	Concentration (%)
Isobutyric acid	79-31-2	01-2119488973-18	Flam. Liq. 3; H226	> 99,5
-			Acute Tox. 4; H302	
			Acute Tox. 3; H311	
			Skin Corr. 1B; H314	
			Eye Dam. 1; H318	

For full text of Hazard- and EU Hazard-statements see SECTION 16.

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

#### Inhalation



10290 Isobutyric acid

Revision Date Version / Revision 12-Jan-2022 4.01

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

#### Eves

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

#### Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

#### Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

#### Main symptoms

cough, abdominal pain, vomiting, shortness of breath, unconsciousness, discomfort.

#### Special hazard

Lung irritation, Lung oedema, Stomach perforation.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. If ingested, flush stomach and compensate acidosis.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

#### **Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon monoride (CC

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Vapours are heavier than air and may spread along floors

Vapours may form explosive mixture with air

# 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

#### **Precautions for firefighting**

Cool containers / tanks with water spray. Water run-off and vapor cloud may be corrosive. Dike and collect water



10290 Isobutyric acid Revision Date Version / Revision

12-Jan-2022 4.01

used to fight fire. Keep people away from and upwind of fire.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

# 6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

# 6.3. Methods and material for containment and cleaning up

#### **Methods for containment**

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

#### Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

#### 6.4. Reference to other sections

For personal protective equipment see section 8.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

## Advice on the protection of the environment

See Section 8: Environmental exposure controls.

## Incompatible products

bases amines strong oxidizing agents

## 7.2. Conditions for safe storage, including any incompatibilities

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge



10290 Isobutyric acid Revision Date Version / Revision 12-Jan-2022 4.01

(which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material. Vapours may form explosive mixture with air.

#### **Technical measures/Storage conditions**

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Keep at temperatures between -18 and 38 °C (0 and 100 °F).

#### Suitable material

stainless steel, Polyethylene

#### **Unsuitable material**

iron

#### **Temperature class**

T1

# 7.3. Specific end use(s)

Intermediate under non-strictly controlled conditions Distribution of substance

# SECTION 8: Exposure controls / personal protection

# 8.1. Control parameters

## **Exposure limits Egypt**

No exposure limits established.

#### **Exposure limits Israel**

No exposure limits established.

## **Exposure limits South Africa**

No exposure limits established.

## **Exposure limits United Arab Emirates**

No exposure limits established.

# **Exposure limits Kuweit**

No exposure limits established.

# **Occupational Exposure Controls**

# 8.2. Exposure controls



10290Revision Date12-Jan-2022Isobutyric acidVersion / Revision4.01

#### **Appropriate Engineering controls**

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

#### Personal protective equipment

#### General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

#### Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

#### Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material butyl-rubber

**Evaluation** according to EN 374: level 6

Glove thickness approx 0,7 mm approx 480 min

Suitable material nitrile rubber

**Evaluation** according to EN 374: level 6

Glove thickness approx 0,55 mm Break through time > 480 min

#### Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

#### Respiratory protection

Respirator with filter for organic vapour. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Equipment should conform to NIOSH, EN or other applicable national standards.

#### **Environmental exposure controls**

Use product only in closed system. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance liquid colourless
Odour pungent
Odour threshold 8,1 ppm



10290Revision Date12-Jan-2022Isobutyric acidVersion / Revision4.01

\_\_\_\_\_

**pH** 2,3 (50 % in water @ 25 °C (77 °F)) DIN 19268\*\*\*

Melting point/range -64 °C (Freezing Point)\*\*\*
Boiling point/range 156 °C @ 1013 hPa\*\*\*

Flash point 56 - 62 °C

**Evaporation rate** No data available

Flammability (solid, gas) Does not apply, the substance is a liquid

Lower explosion limit 1,6 Vol % Upper explosion limit 7,3 Vol %

Vapour pressure

Values [kPa] Values [atm] @ °C @ °F Method Values [hPa] DIN EN 0,2 0,002 20 68 13016-2 1,3 13 0,013 50 122 DIN EN 13016-2

**Vapour density** 3,0 (Air = 1) @ 20 °C (68 °F)

Relative density

Values @ °C @ °F Method 0,948 20 68 DIN 51757 **Solubility** 618 g/l @ 20 °C, in water, OECD 105

log Pow 1,1 (measured), OECD 117 Autoignition temperature 455 °C @ 1018 hPa\*\*\*

Method DIN 51794

Decomposition temperature Viscosity 1,32 mPa\*s @ 20 °C

Method DIN 51562, dynamic

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

**Explosive properties**Does not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

9.2. Other information

Molecular weight88,10Molecular formulaC4 H8 O2

log Koc 1,65 calculated\*\*\*

**Dissociation constant** pKa 5 @ 21 °C (69,8 °F) OECD 112\*\*\*

Refractive index 1,393 @ 20 °C

**Surface tension** 70,2 mN/m (1 g/l @ 20°C (68°F)), OECD 115

# SECTION 10: Stability and Reactivity

## 10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

## 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions



10290 Isobutyric acid Revision Date Version / Revision 12-Jan-2022 4.01

Vapours may form explosive mixture with air.

#### 10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

# 10.5. Incompatible materials

bases, amines, strong oxidizing agents.

## 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

**Likely routes of exposure** Inhalation, Eye contact, Skin contact, Ingestion

Acute toxicity				
Isobutyric acid (79-31-2)				
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	2230 mg/kg	rat, male/female	OECD 401
Dermal	LD50	474 mg/kg (24 h)	rabbit male***	OECD 402
Inhalative	LC0	9,59 mg/l (8 h)	rat, male/female	OECD 403

## Isobutyric acid, CAS: 79-31-2

#### **Assessment**

The available data lead to the classification given in section 2

Based on available data, the classification criteria are not met for:

Acute oral toxicity

Acute inhalation toxicity

Irritation and corrosion	n			
Isobutyric acid (79-31-	2)			
Target Organ Effects	Species	Result	Method	
Skin	rabbit	corrosive	OECD 404	read across
Eyes	rabbit	corrosive		

# Isobutyric acid, CAS: 79-31-2

#### **Assessment**

The available data lead to the classification given in section 2

For respiratory irritation, no data are available

# Isobutyric acid, CAS: 79-31-2

#### **Assessment**

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity				
Isobutyric acid (79-31-2)				
Туре	Dose	Species	Method	



10290Revision Date12-Jan-2022Isobutyric acidVersion / Revision4.01

Subchronic toxicity	NOEL: 375 mg/kg/d (90d)***	rat, male/female	OECD 408 Oral	read across
-	NOAEC: 2500 ppm/d (14 weeks)***	rat, male/female	OECD 413 Inhalation	read across

Isobutyric acid, CAS: 79-31-2

**Assessment** 

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Muta	genicity. Reprodi	uctive toxicity			
Isobutyric acid (79-31-					
Туре	Dose	Species	Evaluation	Method	
Mutagenicity		CHO (Chinese Hamster Ovary) cells	negative	OECD 476 (Mammalian Gene Mutation)	
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	
Mutagenicity		mouse	negative	OECD 474	read across in vivo
Reproductive toxicity	NOAEL: 2500 ppm***	rat		EPA OPPTS 870.3800 Inhalation***	read across
Developmental Toxicity	NOAEL 11,9 mg/l***	rat	Maternal toxicity Fetal toxicity Teratogenicity***	OECD 414, Inhalative	read across***
Developmental Toxicity	NOAEL 3 mg/l***	rabbit	Maternal toxicity	OECD 414, Inhalative	read across
Developmental Toxicity	NOAEL 11,9 mg/l***	rabbit	Teratogenicity Fetal toxicity, Embryotoxicity***	OECD 414, Inhalative	read across

## Isobutyric acid, CAS: 79-31-2

#### **CMR Classification**

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

#### **Evaluation**

In vitro tests did not show mutagenic effects

Did not show mutagenic effects in animal experiments

In the absence of specific alerts no cancer testing is required

## Isobutyric acid, CAS: 79-31-2

#### Main symptoms

cough, abdominal pain, vomiting, shortness of breath, unconsciousness, discomfort.

#### **Target Organ Systemic Toxicant - Single exposure**

Based on available data, the classification criteria are not met for:

STOT SE

#### **Target Organ Systemic Toxicant - Repeated exposure**

Based on available data, the classification criteria are not met for:

STOT RE

#### **Aspiration toxicity**

Due to the viscosity, this product does not present an aspiration hazard

#### Other adverse effects

Components of the product may be absorbed into the body by inhalation, ingestion and through the skin.



10290 Isobutyric acid Revision Date Version / Revision 12-Jan-2022 4.01

#### Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

# SECTION 12: Ecological information

# 12.1. Toxicity

Acute aquatic toxicity			
Isobutyric acid (79-31-2)			
Species	Exposure time	Dose	Method
Daphnia magna (Water flea)	48h	EC50: 51,25 mg/l	DIN 38412, part 11
Desmodesmus subspicatus	72h	EC50: 45,1 mg/l (Biomass)	DIN 38412, part 9
Leuciscus idus (Golden orfe)	96h	LC50: 146,6 mg/l	DIN 38412, part 15
Tetrahymena pyriformis	40 h	IC50: 190 mg/l (Growth inhibition)	

# 12.2. Persistence and degradability

Isobutyric acid, CAS: 79-31-2

Biodegradation

> 95 % (10 d), activated sludge, non-adapted, aerobic, OECD 302 B (Zahn-Wellens Test).

Abiotic Degradation		
Isobutyric acid (79-31-2)		
Туре	Result	Method
Hydrolysis	not expected	
Photolysis	Half-life (DT50): 167 h***	

# 12.3. Bioaccumulative potential

Isobutyric acid (79-31-2)		
Туре	Result	Method
log Pow	1,1 @ 25 °C (77 °F)***	measured, OECD 117
log BCF	0,5	calculated

# 12.4. Mobility in soil

Isobutyric acid (79-31-2)		
Туре	Result	Method
Surface tension	70,2 mN/m (1 g/l @ 20	0°C (68°F))   OECD 115
Adsorption/Desorption	log Koc: 1,65	calculated
Distribution to environmental	Air: 7,39 % Soil: 55 % \	Water: 37,5 calculated Fugacity Model Level III
compartments	% Sediment: 0,07 %	

# 12.5. Results of PBT and vPvB assessment



10290Revision Date12-Jan-2022Isobutyric acidVersion / Revision4.01

# Isobutyric acid, CAS: 79-31-2 PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

# 12.6. Other adverse effects

Isobutyric acid, CAS: 79-31-2

No data available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Product Information**

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

#### Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

# **SECTION 14: Transport information**

#### ADR/RID

14.1. UN number	UN 2529
14.2. UN proper shipping name	Isobutyric acid
14.3. Transport hazard class(es)	3
Subsidiary Risk	8
14.4. Packing group	III
14.5. Environmental hazards	no
14.6. Special precautions for user	
ADR Tunnel restriction code	(D/E)
Classification Code	FC
Hazard Number	38

ADN ADN Container

14.1. UN number	UN 2529
14.2. UN proper shipping name	Isobutyric acid
14.3. Transport hazard class(es)	3
Subsidiary Risk	8
14.4. Packing group	III
14.5. Environmental hazards	no
14.6. Special precautions for user	
Classification Code	FC



10290Revision Date12-Jan-2022Isobutyric acidVersion / Revision4.01

Hazard Number 38

## ICAO-TI / IATA-DGR

**14.1. UN number 14.2. UN proper shipping name**UN 2529
Isobutyric acid

14.3. Transport hazard class(es)
Subsidiary Risk
8
14.4. Packing group
14.5. Environmental hazards

**14.6. Special precautions for user** no data available

#### **IMDG**

**14.1. UN number 14.2. UN proper shipping name**UN 2529
Isobutyric acid

14.3. Transport hazard class(es) 3
Subsidiary Risk 8
14.4. Packing group III
14.5. Environmental hazards

14.6. Special precautions for user

EmS F-E, S-C **14.7. Transport in bulk according to Annex** not applicable

II of MARPOL and the IBC Code

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Regulation 1272/2008, Annex VI

Isobutyric acid, CAS: 79-31-2

Classification Acute Tox. 4\*; H312 Acute Tox. 4\*; H302

Hazard pictograms GHS07 Exclamation mark

Signal wordWarningHazard statementsH312, H302

## **International Inventories**

Isobutyric acid, CAS: 79-31-2

AICS (AU)
DSL (CA)
IECSC (CN)
EC-No. 2011957 (EU)
ENCS (2)-608 (JP)
ISHL (2)-608 (JP)
KECI KE-24875 (KR)



10290 Isobutyric acid Revision Date Version / Revision 12-Jan-2022 4.01

INSQ (MX) PICCS (PH) TSCA (US) NZIOC (NZ)\*\*\* TCSI (TW)

# National regulatory information Egypt

Banned Chemicals (Unified List of Hazardous Substances, List A) not listed

Substances Requiring Permits (Unified List of Hazardous Substances, List B) not listed

Non-Restricted Substances (Unified List of Hazardous Substances, List C) not listed

# **National regulatory information Israel**

Harmful Chemicals (Hazardous Substances Law, 5753-1993, Annex 1

Toxic Chemicals (Hazardous Substances Law, 5753-1993, Annex 2 not listed

Hazardous materials requiring annual testing (Labor Inspection Regs., Appendix 1) not listed

Hazardous Substances Regulations (Classification & Exemptions) not listed

## National regulatory information South Africa

**Group 1 Hazardous Substances (G.N.R 452)** not listed

# **National regulatory information United Arab Emirates**

Prohibited and restricted imports (Ministry of Environment and Water) not listed

For details and further information please refer to the original regulation.

# SECTION 16: Other information

# Full text of H-Statements referred to under sections 2 and 3

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

#### **Abbreviations**

13 / 14



10290 Isobutyric acid Revision Date Version / Revision 12-Jan-2022 4.01

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information\_requirements\_r20\_en.pdf

#### Training advice

For effective first-aid, special training / education is needed.

#### Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

#### Further information for the safety data sheet

Changes against the previous version are marked by \*\*\*. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.oq.com).

#### **Disclaimer**

**For industrial use only.** The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

**End of Safety Data Sheet**